

Notice of Allowability	Application No.	Applicant(s)	
	10/046,285	KIM ET AL.	
	Examiner	Art Unit	
	Tuyet Vo	2821	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to September 02, 2004.
2. ☒ The allowed claim(s) is/are 1,2 and 5-24.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☒ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☒ hereto or 2) ☒ to Paper No./Mail Date 3, 6 & 8.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| <ol style="list-style-type: none"> 1. <input type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input type="checkbox"/> Other _____ |
|---|---|


TUYET VO
PRIMARY EXAMINER

DETAIL ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as following:

The Figure 4 of drawings filed November 28, insert --(PRIOR ART)--.

The above noted amendment has been added in order to provide clarification in the drawing.

Reasons For Allowance

2. Claims 1, 2 and 5-24 are allowed.

3. The following is an examiner's statement of reasons for allowance: the prior art of record fails to disclose a plasma display panel comprising a pair of substrates, address electrodes, sustaining electrodes and barriers constructed in a manner as claimed in claims 1 and 21, in that, the barriers are arranged parallel to one another between the address electrodes; pairs of the barriers corresponding to two fluorescent layers of the R, G and B fluorescent layers are in the form of a stripe without bridges and a pair of the barriers corresponding to the other fluorescent layer include bridges extending in a longitudinal direction of the sustaining electrodes as a discharge cell unit. The prior art also lacks to support an interval between bridges in the discharge cell corresponding to the B fluorescent layer is larger than an interval between bridges in the discharge cell corresponding to the R fluorescent layer as required in claims 5 and 8 or a discharge red light as well as the discharge green light are designated for the second set and third set of discharge cells respectively as required in claim 12. The prior art does not provide each cell of the first set of discharge is separated from another adjacent cell of the first set of the

Art Unit: 2821

discharge cells by bridges while each cell of the second set of the discharge cells is contiguous with another adjacent cell of the second set of discharge cell as required in claim 9. The prior art also lacks to provide the surface area of each cell of a first set of discharge cells is larger than that of the second set of discharge cells as required in claim 14

4. The remaining dependent claims are allowable for at least above reason.

Correspondence

Any comments considered necessarily by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuyet Vo whose telephone number is 571 272 1830. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on 571 272 1834. The fax phone number for the organization where this application or proceeding assigned is 703 872 9306 for regular communications and for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 308 0956.



Tuyet Vo

September 16, 2004